

PRODUCT SELECTION GUIDE — FULL SPECIFICATION CATALOG

Ceramic Bathroom Basin Collection

6 vitreous china models — inset, integrated vanity-top and cabinet-mounted designs, 1280°C kiln-fired. Data per official production drawings.

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

6 *

BASIN MODELS

100+

MOQ (PCS / MODEL)

600K

ANNUAL CAPACITY (PCS)

* 6 basin models; 46 products across three categories.

106,000 m² CAMPUS ZONING PLAN

Global Manufacturing Excellence in Ceramic Sanitary Ware

Established in 2016 in Tangshan—China’s premier ceramic hub—Taitao is a high-tech manufacturer and wholesaler dedicated to premium sanitary ware solutions.

- **Massive Scale**
A state-of-the-art facility spanning 106,000+ m²
 - **Core Products**
Professional-grade Ceramic Kitchen Sinks, High-End Toilets, and Wash Basins.
 - **Global Reach**
Primary export markets: North America, Europe (including the United Kingdom), and Oceania (Australia and New Zealand).

Manufacturing Capabilities & Core Technology

Our facilities are engineered for precision and high-volume supply, ensuring reliability for:

Advanced Casting Equipment: 1 10-mould high pressure toilet casting machine · 3 12-mould sink casting machines · 1 10-double mould tank casting machine · 43 low-pressure fast drainage vertical pouring molding lines.

High-Capacity Kilns: Utilizing a 96-meter tunnel kiln and a 128m³ shuttle kiln, we achieve an annual production capacity of 600,000 pieces.

Core Technology: 1200–1280°C tunnel-kiln firing gives every piece a dense, non-porous glazed surface for maximum durability, stain resistance and a premium finish.





■ INSET VANITY BASIN · TOP-MOUNT / SELF-RIMMING

High-Gloss White Ceramic Inset Vanity Basin 3-Hole Mount Bathroom Sink

Size: 596 × 377 × 175 mm
Install: Top-mount / Self-rimming
Weight: 11.3 kg

Scan for full specification & drawings

Faucet: 3-Hole

MOQ 100 pcs · Lead time 30 days



■ INSET VANITY BASIN · TOP-MOUNT / SELF-RIMMING

High-Gloss White Ceramic Inset Vanity Basin Single-Hole Mount Bathroom Sink

Size: 750 × 375 × 165 mm
Install: Top-mount / Self-rimming
Weight: 14.05 kg

Scan for full specification & drawings

Faucet: Single-Hole

MOQ 100 pcs · Lead time 30 days



■ INTEGRATED VANITY TOP BASIN · VANITY-TOP / FURNITURE-MOUNTED

High-Gloss White Ceramic One-Piece Integrated Vanity Top Furniture Basin Single-Hole Mount Bathroom Sink

Size: 800 × 500 × 165 mm
Install: Vanity-Top / Furniture-Mounted
Weight: 17.9 kg

Scan for full specification & drawings

Faucet: Single-Hole

MOQ 100 pcs · Lead time 30 days



■ INTEGRATED VANITY TOP BASIN · VANITY-TOP / FURNITURE-MOUNTED

High-Gloss White Ceramic One-Piece Integrated Vanity Top Furniture Basin Single-Hole Mount Bathroom Sink

Size: 900 × 500 × 255 mm
Install: Vanity-Top / Furniture-Mounted
Weight: 20.2 kg

Scan for full specification & drawings

Faucet: Single-Hole

MOQ 100 pcs · Lead time 30 days



■ ONE-PIECE VANITY SINK TOP · VANITY-TOP / FURNITURE-MOUNTED

High-Gloss White Ceramic One-Piece Vanity Sink Top Single-Hole Mount Bathroom Sink

Size: 695 × 495 × 202 mm
Install: Vanity-Top / Furniture-Mounted
Weight: 16 kg

Scan for full specification & drawings

Faucet: Single-Hole

MOQ 100 pcs · Lead time 30 days



■ MID-EDGE CABINET WASHBASIN · VANITY-TOP / FURNITURE-MOUNTED

High-Gloss White Ceramic Vanity-Top Mid-Edge Cabinet Washbasin Single-Hole Mount Bathroom Sink

Size: 800 × 475 × 195 mm
Install: Vanity-Top / Furniture-Mounted
Weight: 20.1 kg

Scan for full specification & drawings

Faucet: Single-Hole

MOQ 100 pcs · Lead time 30 days



Ordering & Compliance

ORDER TERMS

- MOQ 100 pcs per model, on existing factory moulds.
- Standard finish: High-Gloss White glaze; Matte Gray and Matte Black available as a factory option.
- Your mark kiln-fired under-glaze, laser-etched, or printed on the packaging.
- Container consolidation across several models available for distributors.

LEAD TIME

- 30 days — MOQ 100 pcs, ocean container dispatched.
- 50 days — bulk 1,000 pcs, ocean container dispatched.
- New OEM tooling, counted from design approval: 45 days to a fired first sample.
- 90 days to a finished 1,000 pcs OEM order.
- Approval samples are dispatched by air courier ahead of the bulk run.


CONTACT

- Export Desk — service@taitao-hs.com
- WhatsApp — +86 139 1106 5773
- Full catalogue and CAD files — www.taitao-hs.com/downloads/
- OEM / ODM and private label available.
- Tangshan Taitao Sanitary Ware Co., Ltd. — Tangshan, Hebei, China.

TAITAO LV10115H

High-Gloss White Ceramic Inset Vanity Basin 3-Hole Mount Bathroom Sink

INSET VANITY BASIN · TOP-MOUNT / SELF-RIMMING



Model ID & Type	TAITAO-LV10115H (Inset Vanity Basin)
External Dimensions (L × W × H)	596 × 377 × 175 mm
Installation / Mounting	Top-mount / Self-rimming (Drop-in / Inset)
Faucet Hole Configuration	3-Hole
Standard Drain Outlet Diameter	Ø 44 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	11.3 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- Top-mount / self-rimming drop-in installation
- 3-hole faucet deck on 120 mm centers
- Front-facing integrated overflow

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO LV10117H

High-Gloss White Ceramic Inset Vanity Basin Single-Hole Mount Bathroom Sink

INSET VANITY BASIN · TOP-MOUNT / SELF-RIMMING



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-LV10117H (Inset Vanity Basin)
External Dimensions (L x W x H)	750 x 375 x 165 mm
Installation / Mounting	Top-mount / Self-rimming (Drop-in / Inset)
Faucet Hole Configuration	Single-Hole
Standard Drain Outlet Diameter	Ø 44 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	14.05 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- Top-mount / self-rimming drop-in installation
- single faucet hole for standard basin mixer
- Front-facing integrated overflow

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO LV11248

High-Gloss White Ceramic One-Piece Integrated Vanity Top Furniture Basin Single-Hole Mount Bathroom Sink

INTEGRATED VANITY TOP BASIN · VANITY-TOP / FURNITURE-MOUNTED



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-LV11248 (Integrated Vanity Top Basin)
External Dimensions (L x W x H)	800 x 500 x 165 mm
Installation / Mounting	Vanity-Top / Furniture-Mounted (One-Piece Integrated)
Faucet Hole Configuration	Single-Hole
Standard Drain Outlet Diameter	Ø 45 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	17.9 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- One-piece integrated vanity top — countertop and bowl fired as a single unit
- Single faucet hole for standard basin mixer
- Front-facing integrated overflow

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online





TAITAO LV11249

High-Gloss White Ceramic One-Piece Integrated Vanity Top Furniture Basin Single-Hole Mount Bathroom Sink

INTEGRATED VANITY TOP BASIN · VANITY-TOP / FURNITURE-MOUNTED



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-LV11249 (Integrated Vanity Top Basin)
External Dimensions (L x W x H)	900 x 500 x 255 mm
Installation / Mounting	Vanity-Top / Furniture-Mounted (One-Piece Integrated)
Faucet Hole Configuration	Single-Hole
Standard Drain Outlet Diameter	Ø 45 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	20.2 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- One-piece integrated vanity top — countertop and bowl fired as a single unit
- Single faucet hole for standard basin mixer
- Front-facing integrated overflow

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO LV11607

High-Gloss White Ceramic One-Piece Vanity Sink Top Single-Hole Mount Bathroom Sink

ONE-PIECE VANITY SINK TOP · VANITY-TOP / FURNITURE-MOUNTED



Model ID & Type	TAITAO-LV11607 (One-Piece Vanity Sink Top)
External Dimensions (L x W x H)	695 x 495 x 202 mm
Installation / Mounting	Vanity-Top / Furniture-Mounted (One-Piece Integrated)
Faucet Hole Configuration	Single-Hole
Standard Drain Outlet Diameter	Ø 44 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	16 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- One-piece furniture-mounted vanity sink top — countertop and bowl fired as a single ceramic unit
- Single faucet hole for standard basin mixer
- Front-facing integrated overflow

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO LV11531

High-Gloss White Ceramic Vanity-Top Mid-Edge Cabinet Washbasin Single-Hole Mount Bathroom Sink

MID-EDGE CABINET WASHBASIN · VANITY-TOP / FURNITURE-MOUNTED



Model ID & Type	TAITAO-LV11531 (Mid-Edge Cabinet Washbasin)
External Dimensions (L x W x H)	800 x 475 x 195 mm
Installation / Mounting	Vanity-Top / Furniture-Mounted (One-Piece Integrated)
Faucet Hole Configuration	Single-Hole
Standard Drain Outlet Diameter	Ø 45 mm (1-3/4") with Overflow
Raw Material & Vitrification	Vitreous China • 1280°C Tunnel Kiln Fired
Water Absorption Rate	< 0.2%
Unit Net Weight	20.1 kg
International Compliance	cUPC • CE • UKCA • WaterMark

Key Features

- Premium vitreous china (ceramic) body, fully vitrified at 1280°C
- High-gloss white non-porous glaze (Matte Gray / Matte Black available)
- One-piece mid-edge cabinet washbasin — countertop and bowl fired as a single unit
- Single faucet hole for standard basin mixer
- Integrated overflow channel

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online

