

PRODUCT SELECTION GUIDE — FULL SPECIFICATION CATALOG

Ceramic Toilet Collection

21 vitreous china models — back-to-wall, wall-hung and one-piece designs, 1280°C kiln-fired. Data per official production drawings.

cUPC • CE • UKCA • WaterMark — AVAILABLE ON REQUEST | ISO 9001

21*

TOILET MODELS

100+

MOQ (PCS / MODEL)

600K

ANNUAL CAPACITY (PCS)

* 21 toilet models; 46 products across three categories.

106,000 m² CAMPUS ZONING PLAN

Global Manufacturing Excellence in Ceramic Sanitary Ware

Established in 2016 in Tangshan—China’s premier ceramic hub—Taitao is a high-tech manufacturer and wholesaler dedicated to premium sanitary ware solutions.

- Massive Scale

A state-of-the-art facility spanning 106,000+ m²
- Core Products

Professional-grade Ceramic Kitchen Sinks, High-End Toilets, and Wash Basins.
- Global Reach

Primary export markets: North America, Europe (including the United Kingdom), and Oceania (Australia and New Zealand).

Manufacturing Capabilities & Core Technology

Our facilities are engineered for precision and high-volume supply, ensuring reliability for:

Advanced Casting Equipment: 1 10-mould high pressure toilet casting machine · 3 12-mould sink casting machines · 1 10-double mould tank casting machine · 43 low-pressure fast drainage vertical pouring molding lines.

High-Capacity Kilns: Utilizing a 96-meter tunnel kiln and a 128m³ shuttle kiln, we achieve an annual production capacity of 600,000 pieces.

Core Technology: 1200–1280°C tunnel-kiln firing gives every piece a dense, non-porous glazed surface for maximum durability, stain resistance and a premium finish.





TAITAO CT10204R

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Round-Front Toilet

Size: 740 x 460 x 865 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 44.15 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CB10228


■ BACK-TO-WALL · CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: 525 x 355 x 420 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 23.9 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10228

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 595 x 378 x 765 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 36.15 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10406

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Back-To-Wall Soft-Square Toilet

Size: 600 x 380 x 780 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 36.45 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10502

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Back-To-Wall D-Shape Toilet

Size: 655 x 380 x 875 mm
Rough-In: 185 mm P-Trap Wall Outlet
Weight: 50.7 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10505

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: 660 x 380 x 870 mm
Rough-In: 185 mm P-Trap Wall Outlet
Weight: 50.05 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10506

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: 660 x 375 x 845 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 49.25 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT10506C

■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall D-Shape Toilet

Size: 660 x 375 x 845 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 47.2 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CB10603

■ BACK-TO-WALL · CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: 520 x 360 x 420 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 28.6 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days






■ WALL-HUNG · CONCEALED FRAME PAN

Wall-Hung Rimless Soft-Square Toilet

Size: 520 x 360 x 365 mm
Rough-In: 55 mm P-Trap Wall Outlet
Weight: 24.9 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

Size: 660 x 375 x 845 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 47.85 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

Size: 660 x 375 x 845 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 48.25 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL · CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: 520 x 360 x 420 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 27 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 630 x 375 x 825 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 44 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Back-To-Wall Toilet

Size: 665 x 380 x 845 mm
Rough-In: 185 mm P-Trap Wall Outlet
Weight: 41.7 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL · CONCEALED CISTERN PAN

Rimless Back-To-Wall Toilet

Size: 520 x 360 x 425 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 26.35 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 620 x 360 x 835 mm
Rough-In: 180 mm P-Trap Wall Outlet
Weight: 43.25 KG

Scan for full specification & drawings

Trap: P-trap
MOQ 100 pcs · Lead time 30 days



■ ONE-PIECE · INTEGRATED TANK

One-Piece Siphonic Floor-Mounted Toilet

Size: 660 x 360 x 770 mm
Rough-In: 295 mm S-Trap Rough-In (Floor Outlet)
Weight: 49 KG

Scan for full specification & drawings

Trap: S-trap
MOQ 100 pcs · Lead time 30 days



TAITAO CT11815C



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 620 x 375 x 835 mm

Rough-In: 180 mm P-Trap Wall Outlet

Weight: 51.05 KG

Scan for full specification & drawings

Trap: P-trap

MOQ 100 pcs · Lead time 30 days



TAITAO CT11850



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 650 x 375 x 860 mm

Rough-In: 180 mm P-Trap Wall Outlet

Weight: 45.45 KG

Scan for full specification & drawings

Trap: P-trap

MOQ 100 pcs · Lead time 30 days



TAITAO CT11860



■ BACK-TO-WALL PAN · P-TRAP

Two-Piece Rimless Back-To-Wall Toilet

Size: 630 x 360 x 855 mm

Rough-In: 180 mm P-Trap Wall Outlet

Weight: 43.15 KG

Scan for full specification & drawings

Trap: P-trap

MOQ 100 pcs · Lead time 30 days



Order Terms & Lead Time

ORDER TERMS

- MOQ 100 pcs per model, on existing factory moulds.
- Standard finish: Glossy White, with Nano glaze available as an option.
- Your mark kiln-fired under-glaze, laser-etched, or printed on the packaging.
- Container consolidation across several models available for distributors.

LEAD TIME

- 30 days — MOQ 100 pcs, ocean container dispatched.
- 60 days — bulk 1,000 pcs, ocean container dispatched.
- New OEM tooling, counted from design approval: 60 days to a fired first sample.
- 120 days to a finished 1,000 pcs OEM order.
- Approval samples are dispatched by air courier ahead of the bulk run.

SAMPLES & DRAWINGS

- Samples available for catalog models and selected custom work.
- Sample cost and freight are normally covered by the buyer, then credited against the bulk order.
- Technical drawings are available for the models in your enquiry.
- Dimensional data is always taken from the drawing for the model you are ordering.
- Never inferred from a generic catalogue page. File formats confirmed at quotation.

Compliance, Testing & Contact

LISTINGS

- cUPC, CE, UKCA and WaterMark — certificate numbers available on request.
- ISO 9001 quality management system.
- Listings are issued for specific models, not for a whole range.
- Send the model numbers you intend to ship and we confirm the scope that covers them.
- A single model can carry all four listings for multi-market distribution.

TESTING & PACKAGING

- ISTA-3A Certified packaging drop test.
- 5-ply moulded honeycomb export carton, drop-tested.
- Fired through a 96 m tunnel kiln at 1200–1280°C; the glaze matures in the same firing.
- Glaze is fused to the body in one firing — no bonded layer, no delamination.
- Trapway fully glazed on every model — waste clears without clinging.

CONTACT

- Export Desk — service@taitao-hs.com
- WhatsApp — +86 139 1106 5773
- Full catalogue and CAD files — www.taitao-hs.com/downloads/
- OEM / ODM and private label available.
- Tangshan Taitao Sanitary Ware Co., Ltd. — Tangshan, Hebei, China.


TAITAO CT10204R

Two-Piece Rimless Round-Front Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CT10204R (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	740 x 460 x 865 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	190 x 460 mm
Cistern Type	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	44.15 KG
Type	Two-Piece Rimless Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CB10228

Rimless Back-To-Wall Toilet

BACK-TO-WALL · CONCEALED CISTERN PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CB10228 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	525 x 355 x 420 mm
Bowl / Seat Width	350 mm
Bowl Opening Dimensions (L x W)	420 x 350 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	23.9 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO CT10228

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



Model ID & Type	TAITAO-CT10228 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	595 x 378 x 765 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	420 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	36.15 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10406

Two-Piece Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CT10406 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	600 x 380 x 780 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	425 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6L
Net Weight	36.45 KG
Type	Two-Piece Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway · Soft-Square (D-Shape) Bowl

Key Features

- Soft-Square D-Shape Bowl
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10502

Two-Piece Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CT10502 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	655 x 380 x 875 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	432 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	185mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 3/4.5LPF
Net Weight	50.7 KG
Type	Two-Piece Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway · D-Shape Bowl

Key Features

- D-Shape Bowl
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO CT10505

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN · P-TRAP



Model ID & Type	TAITAO-CT10505 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 380 x 870 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	445 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	185mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 3/4.5LPF
Net Weight	50.05 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10506

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT10506 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	437 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	49.25 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10506C

Two-Piece Rimless Back-To-Wall D-Shape Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT10506C (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	47.2 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · D-Shape Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online



TAITAO CB10603


Rimless Back-To-Wall Toilet

BACK-TO-WALL · CONCEALED CISTERN PAN · P-TRAP



PRODUCT VIEW

CB10603



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CB10603 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 420 mm
Bowl / Seat Width	360 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	28.6 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO CH10603

Wall-Hung Rimless Soft-Square Toilet

WALL-HUNG · CONCEALED FRAME PAN · P-TRAP



Model ID & Type	TAITAO-CH10603 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 365 mm
Bowl / Seat Width	360 mm
Installation	Wall-Hung – pan clips onto a concealed in-wall frame; the cistern is integrated in the frame (sold separately)
Rough-In	55 mm P-trap wall outlet (waste centre 55 mm from finished wall)
Drainage Type	P-trap (Wall Outlet)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	24.9 KG
Type	Wall-Hung Rimless Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10603

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CT10603 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	47.85 KG
Type	Two-Piece Rimless Back-To-Wall Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · Soft-Square Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10603C

Two-Piece Rimless Back-To-Wall Soft-Square Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT10603C (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 375 x 845 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Seat Height	420 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6LPF
Net Weight	48.25 KG
Type	Two-Piece Rimless Back-To-Wall Soft-Square Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway · Soft-Square Bowl

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CB10758

Rimless Back-To-Wall Toilet

BACK-TO-WALL · CONCEALED CISTERN PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CB10758 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 420 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	435 x 360 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	Rimless Turbo Washdown Flushing
Water Consumption	Dual Flush 4/6L
Net Weight	27 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO CT10758

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



Model ID & Type	TAITAO-CT10758 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	630 x 375 x 825 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	435 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	Rimless Turbo Washdown
Water Consumption	Dual Flush 4/6LPF
Net Weight	44 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Turbo Washdown Flush
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10819

Two-Piece Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



DIMENSIONAL DRAWING

Model ID & Type	TAITAO-CT10819 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	665 x 380 x 845 mm
Bowl / Seat Width	365 mm
Bowl Opening Dimensions (L x W)	440 x 365 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	185mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6LPF
Net Weight	41.7 KG
Type	Two-Piece Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway

Key Features

- Rimmed Bowl Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CB10830

Rimless Back-To-Wall Toilet

BACK-TO-WALL · CONCEALED CISTERN PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CB10830 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	520 x 360 x 425 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	415 x 360 mm
Cistern / Tank Dimensions (D x W)	Concealed Cistern
Cistern Type	Concealed Cistern (In-Wall, Flush Plate)
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	26.35 KG
Type	Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT10830

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT10830 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	620 x 360 x 835 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	415 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	43.25 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com


Scan to open the product page
and view the drawing set online



TAITAO CA10910

One-Piece Siphonic Floor-Mounted Toilet

ONE-PIECE · INTEGRATED TANK · S-TRAP



Model ID & Type	TAITAO-CA10910 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	660 x 360 x 770 mm
Cistern / Tank Dimensions	Integrated One-Piece Tank
Rough-In	295 mm rough-in (distance from wall to centre of floor outlet)
Drainage Type	S-trap (Floor Outlet)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Siphonic Washdown
Water Consumption	Dual Flush 4/6L
Net Weight	49 KG
Type	One-Piece Siphonic Floor-Mounted Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimmed · Fully Glazed Trapway

Key Features

- One-Piece Design
- Siphonic Washdown
- Fully Glazed Trapway

cUPC · CE · UKCA · WaterMark — AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT11815C

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT11815C (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	620 x 375 x 835 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	415 x 360 mm
Cistern / Tank Dimensions (D x W)	152 x 375 mm
Rough-In	102mm diameter / 180mm outlet center height
Drainage Type	P-trap
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown (Rimless)
Water Consumption	Dual Flush 4/6L
Net Weight	51.05 KG
Type	Two-Piece Rimless Back To Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT11850

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT11850 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	650 x 375 x 860 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	430 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6LPF
Net Weight	45.45 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online




TAITAO CT11860

Two-Piece Rimless Back-To-Wall Toilet

BACK-TO-WALL PAN · P-TRAP



PRODUCT VIEW



Model ID & Type	TAITAO-CT11860 (European Back-to-Wall WC)
Overall Dimensions (L x W x H)	630 x 360 x 855 mm
Bowl / Seat Width	360 mm
Bowl Opening Dimensions (L x W)	420 x 360 mm
Cistern / Tank Dimensions (D x W)	Close-Coupled Ceramic Cistern
Rough-In	180mm outlet center height
Drainage Type	P-trap (U-trap Seal)
Waste Outlet Diameter (OD)	102 mm
Flushing System	High-Efficiency Washdown
Water Consumption	Dual Flush 4/6LPF
Net Weight	43.15 KG
Type	Two-Piece Rimless Back-To-Wall Toilet
Material	Premium Vitreous China (Ceramic)
Ceramic Firing Temp	1280 °C
Water Absorption Rate	< 0.2%
Glaze Options	Standard / Nano Optional
Trapway & Structure	Rimless · Fully Glazed Trapway

Key Features

- Rimless Design
- Fully Glazed Trapway
- 1280°C Vitrified China

cUPC · CE · UKCA · WaterMark – AVAILABLE ON REQUEST | ISO 9001

TANGSHAN TAITAO SANITARY WARE CO., LTD. · www.taitao-hs.com
B2B Wholesale & OEM / ODM · Export Desk: service@taitao-hs.com

Scan to open the product page
and view the drawing set online

